



INNOVATIVE GLOVES CO., LTD.

**PRODUCT
CATALOG**

ISO 9001:2015
ISO 13485:2016

SMETA | **Sedex**
SMETA the Sedex Members Ethical Trade Audit



TABLE OF CONTENTS

Content	Page No.
1. ABOUT US	1
2. WHY CHOOSE US	2
3. PRODUCT DEVELOPMENT	3
4. ZIG TEXTURE (<i>PATENTED</i>)	4-5
5. MICRO DIAMOND TEXTURE (<i>PATENTED</i>)	6-7
6. BIODEGRADABLE GLOVES	8
7. GRIPPER TEXTURE (<i>PATENTED</i>)	9-12
8. DIAMOND TEXTURE	13-19
9. NITRILE GLOVES	20-24
10. LATEX GLOVES	25
11. HEAVY LATEX GLOVES	26
12. CHEMICAL RESISTANCE CHART	27
13. PRODUCT SPECIFICATIONS CHART	28
14. CERTIFICATIONS	29



ABOUT US



In 2001, Innovative Gloves Co., Ltd. was founded by Mr. Rajeev Sood, driven by a clear vision: to transform the glove industry through technology. With over a decade of hands-on experience in the dipping process and a successful track record in establishing multiple glove plants, Mr. Sood aimed to create a facility that met the needs of industry professionals seeking more than the ordinary.

Thus began the journey of Innovative Gloves. Focused on innovation, our company takes pride in its cutting-edge facilities, advanced machinery, and a team of highly educated, skilled, and experienced professionals. Together, we continuously push the boundaries of glove development, ensuring that our products stand out in the market.

Amidst the competitive landscape during our inception, Innovative Gloves consistently shone as a beacon of quality. Today, our commitment to excellence has translated into a spotless track record – not a single customer complaint regarding the quality of our gloves. This accomplishment is attributed to the collective determination and dedication of the Innovative Team. Their efforts have not only ensured our survival but have also propelled us to thrive and earn the distinction of being the foremost manufacturer synonymous with premium quality within the industry.

From humble beginnings, with an initial annual capacity of 380 million examination gloves, we have surged to produce over 1.2 billion gloves per year, spanning both examination and industrial standards. Our offerings encompass a spectrum of thicknesses, ranging from 3 to 14 mil, and feature an array of colors, textures, and cuff lengths. Throughout our expansion, we have upheld strict quality standards while embracing advanced R&D capabilities. These principles underscore our commitment to pioneering innovative technologies in the global glove market, solidifying our standing as a premier-quality glove producer.

Our expansive 25-acre establishment, graced with over 1200 trees, also stands as a testament to environmental consciousness. Our 2 MW Solar Power System and comprehensive Rainwater Harvesting initiatives not only optimize operational costs but also actively contribute to bolstering environmental sustainability.

PIONEERS OF CLEAN COAL-BURNING TECHNOLOGY IN SOUTHERN THAILAND

Innovative Gloves proudly stands as the first glove producer in Southern Thailand to adopt clean coal technology and heating systems, securing regulatory approvals. This leap has not only markedly reduced our operational costs but also led to a substantial decline in sulfur emissions, a key benefit over traditional methods.

The quality of our wastewater has also fostered thriving ponds that now serve as a habitat for an abundance of edible fish, benefiting neighboring communities. Our commitment to environmental sustainability has been resolute, with Mr. Sood himself once initiating a tree-planting drive among our workforce. This effort has transformed our premises into an orchard yielding exquisite mangoes, guavas, rambutans, and more.

Mr. Sood's belief that protecting Mother Earth parallels caring for one's own mother permeates Innovative Gloves. It is a philosophy engrained in every aspect of our operations.

INNOVATIVE GLOVES

WHY CHOOSE US

Our aim has always been to earn recognition as the top supplier in the glove industry. We stand out with our exceptional quality standards, service, and ethical business values, setting us apart from the competition.



✓ Tax-Free Imports

Items shipped from Thailand to different nations enjoy tax exemptions, making it a compelling incentive to choose us for your orders.

✓ Versatile Range

We produce a wide array of disposable glove varieties and consistently broaden our range to cater to diverse requirements.

✓ Certified Excellence

We hold an array of certifications that enable us to serve diverse global markets. Our facilities are geared to consistently uphold this capability, year after year.

✓ Mix & Match

Unlike many other producers, we offer the flexibility to customize your orders. No need to commit to large quantities – you can order the exact number of cartons for various products that suits your needs.

✓ We Care

A major motivation for selecting us is our comprehensive care. We're dedicated to nurturing Mother Nature, serving customers, supporting employees, and fostering positive local relationships. This approach has sustained us in the market for years, and our commitment to this caring ethos remains unwavering for the future.

✓ Rainwater Harvestation

In Thailand, Innovative Gloves is the sole company harvesting 100% of its rainwater. This dedication ensures the preservation of stable groundwater levels over time and the efficient utilization of our water resources.

PRODUCT

DEVELOPMENT



Onsite Tensile & Elongation Testing



QUALITY



R & D



TESTING



RESEARCH DEVELOPMENT

Our commitment to delivering innovative solutions that satisfy our clients fuels our continuous R&D efforts in polymer applications for the rubber glove industry.

This dedication has resulted in the creation of specially formulated products that have earned broad acceptance among our customers.



Online QA Inspections



Advanced Post-Aging Testing




Pre-packaging QA Inspections



PATENTED ZIG

Ambidextrous

Versatile fit allows for no wasted pairs, ease of swapping, and hassle-free replacements.




Patented Zig Textured

The newly patented RAISED ZIG GRIP texture provides the best grip in the industry in all conditions (dry, wet, oily) without compromising on dexterity, performance and comfort. It is the ideal nitrile glove for any use case involving chemical splash protection.

Patented and Certified

With patents in major countries, including the US, Australia, New Zealand, and across the EU, our gloves are extremely chemical resistant.

They meet the standards of EN ISO 374-3:2019 for Degradation Testing and EN ISO 374-1:2016+A1:2018/Type-B for Chemical and Micro Organisms Resistance.



- Name of Product** : **Patented Zig Textured**
- Base Material** : **Nitrile**
- Characteristics** : **Non Sterile, Ambidextrous, Beaded Cuff, Touch Screen Friendly**
- Available Color** : **Orange, Black, Blue, Green, Red and any other color as per request**
- Packaging** : **25, 50, 100 pieces per box**

PATENTED ZIG



32706BK240

Nitrile Polymer Coated Zig Textured
Black Color



32706DR240

Nitrile Polymer Coated Zig Textured
Red Color



32707OR240

Nitrile Polymer Coated Zig Textured
Orange Color



32707GR240


Nitrile Polymer Coated Zig Textured
Parrot Green Color

PRODUCT	SIZE	MATERIAL	TEXTURED	THICKNESS	LENGTH	PROCESS
32706BK240	S -2XL	NITRILE	ZIG	6 MIL	240 MM	POLYMER COATED
32706DR240	S -2XL	NITRILE	ZIG	6 MIL	240 MM	POLYMER COATED
32707OR240	S -2XL	NITRILE	ZIG	7 MIL	240 MM	POLYMER COATED
32707GR240	S -2XL	NITRILE	ZIG	7 MIL	240 MM	POLYMER COATED

PATENTED MICRO DIAMOND

Micro Diamond Texture

Well-suited for the mechanics and food processing industries. Its numerous diamonds per square centimeter ensure a consistent and secure grip, making it ideal for situations where a firm hold is essential, whether it's a straight or crosswise grip across the palm.



Ambidextrous

Versatile fit allows for no wasted pairs, ease of swapping, and hassle-free replacements.

Patented & Certified

With multiple patents across major countries, including the US, Australia, New Zealand and the EU, our EN 374 Certified Micro Diamond Texture glove surpasses all certification requirements and is resistant to all chemicals required by most industries.

Snug Fit

Our gloves offer a snug fit that distinguishes them from household or food-processing gloves.

Designed to hug the skin closely, they offer an improved grip and heightened comfort, ensuring prolonged usability.

Name of Product	: Micro Diamond Textured
Base Material	: Nitrile
Characteristics	: Non Sterile, Ambidextrous, Beaded Cuff, Touch Screen Friendly
Available Color	: Orange, Black, Blue, Green, Red and any other color as per request
Packaging	: 25, 50, 100 pieces per box

PATENTED MICRO DIAMOND



32806BK240

Nitrile Polymer Coated Micro Diamond
Black Color-Snug Fit



32807OR240

Nitrile Polymer Coated Micro Diamond
Orange Color-Snug Fit



32807DR240

Nitrile Polymer Coated Micro Diamond
RED Color-Snug Fit



32806RB290

Nitrile Polymer Coated Micro Diamond
Royal Blue Color-Snug Fit



32809RB290

Nitrile Polymer Coated Micro Diamond
Royal Blue Color-Snug Fit

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32806BK240	S - 2XL	NITRILE	6 MIL	240 MM	MICRO DIAMOND
32807OR240	S - 2XL	NITRILE	7 MIL	240 MM	MICRO DIAMOND
32807DR240	S - 2XL	NITRILE	7 MIL	240 MM	MICRO DIAMOND
32806RB290	S - 3XL	NITRILE	6 MIL	290 MM	MICRO DIAMOND
32809RB290	S - 3XL	NITRILE	9 MIL	290 MM	MICRO DIAMOND

BIODEGRADABLE



43204BB240

Nitrile Polymer Coated Finger Textured
Bio Blue Color



42245RG240

Nitrile Polymer Coated Finger Textured
Reflex Green Color



42305BU240

Nitrile Polymer Coated Fully Textured
Blue Color



42807GR240

Nitrile Polymer Coated Micro Diamond
Parrot Green Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
43204BB240	XS -2XL	NITRILE	4 MIL	240 MM	POLYMER COATED
42245RG240	XS -2XL	NITRILE	4.5 MIL	240 MM	POLYMER COATED
42305BU240	XS -2XL	NITRILE	5 MIL	240 MM	POLYMER COATED
42807GR240	S -2XL	NITRILE	7 MIL	240 MM	POLYMER COATED

PATENTED GRIPPER



32606BK240

Nitrile Polymer Coated Gripper
Black Color

Nitrile Polymer Coated Gripper
Red Color



32606DR240



32606OR240

Nitrile Polymer Coated Gripper
Orange Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32606BK240	S - 2XL	NITRILE	6 MIL	240 MM	GRIPPER
32606DR240	S - 2XL	NITRILE	6 MIL	240 MM	GRIPPER
32606OR240	S - 2XL	NITRILE	6 MIL	240 MM	GRIPPER

PATENTED GRIPPER



32607BK240

Nitrile Polymer Coated Gripper
Black Color



32607RD240

Nitrile Polymer Coated Gripper
Red Color



32607OR240

Nitrile Polymer Coated Gripper
Orange Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32607BK240	S - 2XL	NITRILE	7 MIL	240 MM	GRIPPER
32607RD240	S - 2XL	NITRILE	7 MIL	240 MM	GRIPPER
32607OR240	S - 2XL	NITRILE	7 MIL	240 MM	GRIPPER

DIAMOND



32406BK240

Nitrile Polymer Coated Diamond Textured
Black Color



32406BU240

Nitrile Polymer Coated Diamond Textured
Blue Color



32406GR240

Nitrile Polymer Coated Diamond Textured
Green Color



32406MG240

Nitrile Polymer Coated Diamond Textured
Military Green Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32406BK240	S - 2XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED
32406BU240	S - 3XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED
32406GR240	S - 2XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED
32406MG240	S - 2XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED

DIAMOND



32406RD240

Nitrile Polymer Coated Diamond Textured
Red Color



32406YL240

Nitrile Polymer Coated Diamond Textured
Yellow Color



32407GR240

Nitrile Polymer Coated Diamond Textured
Green Color




32406OR240

Nitrile Polymer Coated Diamond Textured
Orange Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32406RD240	S - 2XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED
32406YL240	S - 2XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED
32407GR240	S - 2XL	NITRILE	7 MIL	240 MM	DIAMOND TEXTURED
32406OR240	S - 3XL	NITRILE	6 MIL	240 MM	DIAMOND TEXTURED

DIAMOND



32407OR240

Nitrile Polymer Coated Diamond Textured
Orange Color

Nitrile Polymer Coated Diamond Textured
Yellow Color



32407YL240

Nitrile Polymer Coated Diamond Textured
Black Color



32408BK240

Nitrile Polymer Coated Diamond Textured
Blue Color



32407BU240

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32407OR240	S - 3XL	NITRILE	7 MIL	240 MM	DIAMOND TEXTURED
32407YL240	S - 3XL	NITRILE	7 MIL	240 MM	DIAMOND TEXTURED
32408BK240	S - 3XL	NITRILE	8 MIL	240 MM	DIAMOND TEXTURED
32407BU240	S - 2XL	NITRILE	7 MIL	240 MM	DIAMOND TEXTURED

NITRILE



31203WH240

Nitrile Lightly Powdered Finger Textured
White Color



31203BU240

Nitrile Lightly Powdered Finger Textured
Blue Color



32203BK240

Nitrile Polymer Coated Finger Textured
Black Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
31203WH240	XS - 2XL	NITRILE	3 MIL	240 MM	FINGER TEXTURED
31203BU240	XS - 2XL	NITRILE	3 MIL	240 MM	FINGER TEXTURED
32203BK240	XS - 2XL	NITRILE	3 MIL	240 MM	FINGER TEXTURED

NITRILE



32203VL240

Nitrile Polymer Coated Finger Textured
Violet Color



32203WH240

Nitrile Polymer Coated Finger Textured
White Color



32304BK240

Nitrile Polymer Coated Textured
Black Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32203VL240	XS - 2XL	NITRILE	3 MIL	240 MM	FINGER TEXTURED
32203WH240	XS - 2XL	NITRILE	3 MIL	240 MM	FINGER TEXTURED
32304BK240	XS - 2XL	NITRILE	4 MIL	240 MM	FULLY TEXTURED

NITRILE



32304BU240

Nitrile Polymer Coated Textured
Blue Color



32304RD240

Nitrile Polymer Coated Textured
Red Color



32304GR240

Nitrile Polymer Coated Textured
Green Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32304BU240	XS - 3XL	NITRILE	4 MIL	240 MM	FULLY TEXTURED
32304RD240	XS - 3XL	NITRILE	4 MIL	240 MM	FULLY TEXTURED
32304GR240	XS - 3XL	NITRILE	4 MIL	240 MM	FULLY TEXTURED

NITRILE



31305LB240

Nitrile Lightly Powdered Fully Textured
Light Blue Color



32305OR240

Nitrile Polymer Coated Fully Textured
Orange Color



32305BU240

Nitrile Polymer Coated Fully Textured
Blue Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
31305LB240	XS - 3XL	NITRILE	5 MIL	240 MM	FULLY TEXTURED
32305OR240	XS - 3XL	NITRILE	5 MIL	240 MM	FULLY TEXTURED
32305BU240	XS - 3XL	NITRILE	5 MIL	240 MM	FULLY TEXTURED

NITRILE



32306BK240

Nitrile Polymer Coated Fully Textured
Black Color



32306BU240

Nitrile Polymer Coated Fully Textured
Blue Color



32306OR240

Nitrile Polymer Coated Fully Textured
Orange Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32306BK240	XS - 3XL	NITRILE	6 MIL	240 MM	FULLY TEXTURED
32306BU240	XS - 3XL	NITRILE	6 MIL	240 MM	FULLY TEXTURED
32306OR240	XS - 3XL	NITRILE	6 MIL	240 MM	FULLY TEXTURED

NITRILE



32306VL240

Nitrile Polymer Coated Fully Textured
Violet Color



32308LB240

Nitrile Polymer Coated Textured
Light Blue Color



31308BL240

Nitrile Lightly Powdered Fully Textured
Blue Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32306VL240	XS - 2XL	NITRILE	6 MIL	240 MM	FULLY TEXTURED
32308LB240	XS - 3XL	NITRILE	8 MIL	240 MM	FULLY TEXTURED
31308BL240	XS - 3XL	NITRILE	8 MIL	240 MM	FULLY TEXTURED

NITRILE



32305BU290

Nitrile Polymer Coated Fully Textured
Blue Color



32308BU290

Nitrile Polymer Coated Fully Textured
Blue Color



32308BK290

Nitrile Polymer Coated Fully Textured
Black Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	SURFACE
32305BU290	XS - 2XL	NITRILE	5 MIL	290 MM	FULLY TEXTURED
32308BU290	XS - 2XL	NITRILE	8 MIL	290 MM	FULLY TEXTURED
32308BK290	XS - 2XL	NITRILE	8 MIL	290 MM	FULLY TEXTURED

LATEX



111ECBU240

Latex Economy Powdered Smooth
Blue Color

Latex Economy Powdered Smooth
White Color



111ECWH240



111PRWH240

Latex Premium Powdered Textured
White Color

Latex Premium Powdered Textured
Blue Color



111PRBU240

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
111ECBU240	XS-2XL	LATEX	4 MIL (THIN)	240 MM	POWDERED
111ECWH240	XS-2XL	LATEX	4 MIL (THIN)	240 MM	POWDERED
111PRWH240	XS-2XL	LATEX	5 MIL (NORMAL)	240 MM	POWDERED
111PRBU240	XS-2XL	LATEX	5 MIL (NORMAL)	240 MM	POWDERED

LATEX



123ECWH240

Latex Economy Polymer (OL) Textured
White Color



113PRWH290
113PRWH240

Latex Premium Powdered Textured
White Color



133PRWH240

Latex Premium Polymer Textured
Grade Single Chlorinated
White Color



13307WH240

Latex Polymer Coated Textured 7 Mil
Grade Single Chlorinated
White Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
123ECWH240	XS - 2XL	LATEX	THIN	240 MM	POLYMER COATED
113PRWH240	XS - 2XL	LATEX	NORMAL	240/290 MM	POWDERED
133PRWH240	XS - 2XL	LATEX	NORMAL	240 MM	POLYMER 200PPM
13307WH240	XS - 2XL	LATEX	7 MIL	240 MM	POLYMER 200PPM

LATEX



141PRBK240

Latex Premium Powder Free Smooth
Black Color



141PRBU240

Latex Premium Powder Free Smooth
Blue Color



141PRWH240

Latex Premium Powder Free Smooth
White Color



14307WH240

Latex Powder Free Textured
White Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
141PRBK240	XS -2XL	LATEX	NORMAL	240 MM	POWDER FREE
141PRBU240	XS -2XL	LATEX	NORMAL	240 MM	POWDER FREE
141PRWH240	XS -2XL	LATEX	NORMAL	240 MM	POWDER FREE
14307WH240	XS -2XL	LATEX	7 MIL	240 MM	POWDER FREE

LATEX



14108BK240

Latex Powder Free Smooth
Black Color



14308WH240

Latex Powder Free Textured
White Color



141ECWH240

Latex Economy Powder Free Smooth
White Color



141ECBU240

Latex Economy Powder Free Smooth
Blue Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
14108BK240	XS - 2XL	LATEX	8 MIL	240 MM	POWDER FREE
14308WH240	XS - 2XL	LATEX	8 MIL	240 MM	POWDER FREE
141ECWH240	XS - 2XL	LATEX	THIN	240 MM	POWDER FREE
141ECBU240	XS - 2XL	LATEX	THIN	240 MM	POWDER FREE

LATEX



14309WH240

Latex Powder Free Textured
White Color



143PRBU240

Latex Premium Powder Free Textured
Blue Color



143PRWH240

Latex Premium Powder Free Textured
White Color



163PRWH240

Latex Premium Polymer Textured
White Color

PRODUCT	SIZE	MATERIAL	THICKNESS	LENGTH	PROCESS
14309WH240	XS -2XL	LATEX	9 MIL	240 MM	POWDER FREE
143PRBU240	XS -2XL	LATEX	NORMAL	240 MM	POWDER FREE
143PRWH240	XS -2XL	LATEX	NORMAL	240 MM	POWDER FREE
163PRWH240	XS -2XL	LATEX	NORMAL	290 MM	POWDER FREE

HEAVY LATEX



14310BU290

Latex Powder Free Textured High Risk
Blue Color

Latex Powder Free Textured High Risk
White Color



15312WH290



14314BU290

Latex Powder Free Textured High Risk
Blue Color

Latex Powder Free Diamond Textured
Silver Lined

Blue Color



14514SL290

PRODUCT

SIZE

MATERIAL

THICKNESS

LENGTH

PROCESS

14310BU290

S -2XL

LATEX

10 MIL

290 MM

POWDER FREE

15312WH290

S -2XL

LATEX

12 MIL

290 MM

POWDER FREE

14314BU290

S -2XL

LATEX

14 MIL

290 MM

POWDER FREE

14514SL290

S -2XL

LATEX

14 MIL

290 MM

DIAMOND TEXTURE

CHEMICAL RESISTANCE CHART

THE CHEMICAL RESISTANCE CHART IS PROVIDED AS A GUIDE FOR QUALIFIED PROFESSIONALS WHO RECOMMEND, SELECT, SPECIFY OR OTHERWISE DETERMINE THE SUITABILITY OF PROTECTIVE PRODUCTS FOR-WORKER SAFETY. THIS CHART IS TO BE USED PRIMARILY AS A STARTING POINT AND IS PROVIDED FOR ADVISORY PURPOSES ONLY. THE SUITABILITY OF A PRODUCT FOR A SPECIFIC APPLICATION MUST BE DETERMINED & TESTED BY THE PURCHASER.

IGCL MANUFACTURING COMPANY ASSUME NO RESPONSIBILITY FOR THE SUITABILITY OF A USER PRODUCT SELECTION FOR THE SPECIFIC APPLICATION.

CHEMICAL	NBR	NR
ACETIC ACID 99%	●	●
ACETONE	●	●
ACETONITRILE	●	●
AMMONIA 25%	●	●
BASIC DRYENE	●	●
BENZALKONIUM CHLORIDE	●	●
CARBON DISULPHIDE	●	●
CHLORHEXIDINE 4%	●	●
DICHLOROMETHANE	●	●
DIETHYLAMINE	●	●
ETHYL ACETATE	●	●
FORMALDEHYDE 37%	●	●
FORALIN 10%	●	●
GLUTERALDEHYDE 1%	●	●
GLUTERALDEHYDE 4%	●	●
GLUTERALDEHYDE 50%	●	●
HYDROFLURIC ACID 40%	●	●
HYDROGEN PEROXIDE 3%	●	●
HYDROGEN PEROXIDE 30%	●	●
ISOPROPANOL	●	●

CHEMICAL	NBR	NR
ISOPROPYLY ACETATE	●	●
METHNOL	●	●
N-HEPTANE	●	●
N-HEXANE	●	●
NITRIC ACID 65%	●	●
PARAFORMALDEHYDE 50%	●	●
PHENOL 1%	●	●
PHENOL 10%	●	●
SODIUM HYDROXIDE	●	●
SULPHURIC ACID 96%	●	●
TERAHDROFURAN	●	●
TOLUENE	●	●
VERSENOL	●	●
ALKALINE SOLUTION	●	●
CALCIUM NITRATE	●	●
CALCIUM CARBONATE	●	●
DI-ETHYLENE GLYCOL	●	●
SODIUM SULPHIDE	●	●
ABSORBO GC	●	●
SILICONE EMULSION	●	●

KEY	●	EXCELLENT	●	POOR
	●	GOOD	●	NOT TEST

PRODUCT SPECIFICATION

	Latex	Nitrile
Shape	Ambidextrous	Ambidextrous
Packaging Style	Polybags, Box, Zipper, Custom Packing	Polybags, Box, Zipper, Custom Packing
Packaging Quantities (per inner)	12, 24, 25, 50, 100 pieces	20, 25, 50, 100, 200 pieces
Biological Purity	Non Sterile	Non Sterile
Glove Thickness	4 mil to 14 mil	3 mil to 9 mil
Glove Weights	4 grams to 29 grams	3.5 grams to 20.5 grams
Glove Length (in accordance with EN 455-2 or EN 420)	240mm, 300mm	240mm, 280mm, 290mm, 300mm
Tensile Strength	> 21 MPa	> 22 MPa
Ultimate Elongation	> 700%	> 500%
Tensile Strength After Aging	> 16 MPa	> 14 MPa
Ultimate Elongation After Aging	> 500%	> 400%
External Surface	Smooth, Textured, Diamond Textured	Finger Textured, Fully Textured, Diamond Textured, Micro Diamond Textured, Gripper Textured, Zig Textured
Internal Surface	Off Line Chlorinated or Polymer Coated	Polymer Coated
Recommended Working Time	2-4 hours	In contact with chemical substances – in accordance with instructions for use
Application	Medical, Household, Food Processing, High Risk Situations, industries where comfort, feel and flexibility is high priority	Medical, Household, Industrial, Automotive, Food Processing, industries requiring more chemical resistance
Sizes	5 - 11 (XS-XXXL)	XS-XXXL
Use	Single Use or Reusable (Dependent on Type)	Single Use


CERTIFICATIONS



TGA



UK
CA



SMETA | **Sedex**

SMETA the Sedex Members Ethical Trade Audit



บริษัท อินโนเวทีฟ โกลฟส์ จำกัด

INNOVATIVE GLOVES CO.,LTD.

ISO 9001 : 2015

DIN EN 13485 : 2016

INNOVATIVE GLOVES

INNOVATIVE GLOVES CO., LTD.



830 Moo 4 Sanambin-Banklang Road,
Hatyai, Songkhla 90110 Thailand



+66 (0) 74-5202-253, +66 (0) 74-502-251



sales@innovativeglove.com



www.innovativeglove.com



SMETA | **Sedex**
SMETA the Sedex Members Ethical Trade Audit

UK
CA CE TGA

